CLAIMS

I/We claim:

30

colored.

	1.	An insulated pipe concealer comprising:
	an elongated plastic pipe sleeve having an interior surface and an exterior surface, a left	
5		side, and a right side, wherein said left side and right side are pivotally connected
		and said pipe sleeve is adapted to close with said left side abutting said right side;
	an el	ongated insulation element on the interior of said pipe sleeve;
	a cha	annel disposed along the length of said insulation element in the direction of
		elongation, said channel being adapted to receive a pipe;
10	a plu	rality of latches attached to the exterior of said pipe sleeve, wherein said latches are
		adapted for fastening said left side to said right side; and
	a plu	rality of hinged flaps attached to the exterior of said pipe sleeve, wherein said flaps
		are adapted for attachment to a wall.
	2.	The insulated pipe concealer of claim 1, wherein said pipe sleeve is substantially
15		rectangular.
	3.	The insulated pipe concealer of claim 2, wherein said pipe sleeve is approximately
		10 foot long.
	4.	The insulated pipe concealer of claim 3, wherein said pipe sleeve is approximately
		2" deep and 3" wide.
20	5.	The insulated pipe concealer of claim 4, wherein said channel is adapted to
		receive refrigeration pipes.
	6.	The insulated pipe concealer of claim 3, wherein said pipe sleeve is approximately
		2" deep and 4-6" wide.
	7.	The insulated pipe concealer of claim 1, further comprising a second insulated
25		pipe concealer wherein both of said pipe concealers are adapted to receive the
		same pipe or pipes, and both pipe concealers have a top end and a bottom end, the
		bottom of the first pipe concealer abutting the top of said second pipe concealer
	8.	The insulated pipe concealer of claim 1, wherein said latch is a snap-latch
	9.	The insulated pipe concealer of claim 1, wherein the exterior of said pipe sleeve is

- 10. The insulated pipe concealer of claim 10, wherein the exterior of said pipe sleeve is textured.
- 11. The insulated pipe concealer of claim 1, wherein said pipe sleeve is polyvinylchloride.
- 12. The insulated pipe concealer of claim 13, wherein said insulation is a foam insulation.
- 13. The insulated pipe concealer of claim 1, wherein said hinged flap is adapted to attach to the outside wall of a house.
- 14. The insulated pipe concealer of claim 1, wherein said channel is adapted to receive two pipes.
- 15. The insulated pipe concealer of claim 1, wherein said channel is adapted to receive three or more pipes.
- 16. An insulated pipe concealer comprising:
- an elongated plastic pipe sleeve having an interior surface and an exterior surface wherein said exterior surface is substantially rectangular, a left side, and a right side, wherein said left side and right side are pivotally connected and said pipe sleeve is adapted to close with said left side abutting said right side;

an elongated foam insulation element on the interior of said pipe sleeve;

- a channel disposed along the length of said insulation element in the direction of elongation, said channel being adapted to receive a pipe;
- a plurality of latches attached to the exterior of said pipe sleeve, wherein said latches are adapted for fastening said left side to said right side; and
- a plurality of hinged flaps attached to the exterior of said pipe sleeve, wherein said flaps are adapted for attachment to a wall.
- 17. A pipe concealer comprising:

channel being adapted to receive a pipe;

an elongated plastic pipe sleeve having an interior surface and an exterior surface, a left side, and a right side, wherein said left side and right side are pivotally connected and said pipe sleeve is adapted to close with said left side abutting said right side; a channel disposed along the length of said plastic pipe in the direction of elongation, said

30

5

10

15

20

25

- a plurality of latches attached to the exterior of said pipe sleeve, wherein said latches are adapted for fastening said left side to said right side; and
- a plurality of hinged flaps attached to the exterior of said pipe sleeve, wherein said flaps are adapted for attachment to a wall.
- 18. The insulated pipe concealer of claim 1, wherein said pipe sleeve is substantially rectangular.

5

10

- 19. The insulated pipe concealer of claim 2, wherein said pipe sleeve is approximately 10 foot long.
- 20. The insulated pipe concealer of claim 3, wherein said pipe sleeve is approximately 2" deep and 3" wide.